

LA205S HALL-SENSOR


Properties

- Hall effect compensation converter for currents up to 200 A
- Excellent measuring accuracy
- Very good linearity
- Small temperature drift
- No supplementary load loss
- Low susceptibility to failure caused by external magnetic fields
- Galvanic separation



Illustration similar

Application example



LA205S and GEMTP with GEM TP VISU Software (via ICP10 in this example) in a stand-alone application for detecting process anomalies during metal cutting in machine tools.





Illustration similar

The sensor is designed for currents up to 200 A.

In case of considerably lower maximum current values, the cable is looped through the hole in the middle of the sensor several times. This results in an increase of the current maximum value.



ARTICLE NUMBER	
CODE	O3PZ0311011
DIMENSIONS	see drawing
WEIGHT	0.110 kg
MATERIAL	Plastic cast
DEGREE OF PROTECTION	IP20
FLAMMABILITY CLASS	VO (UL94)
INSTALLATION	Screw connection, mounting brackets
STORAGE TEMPERATURE	-40 °C ... +90 °C
OPERATING TEMPERATURE	-10 °C ... +85 °C
CONTACTING	Flat plug (Faston) 6.3 x 0.8 mm
VOLTAGE SUPPLY	±12 V ... 15 V
POWER CONSUMPTION	20 mA (±15 V) + secondary nominal current
TRANSMISSION RATIO	1:2000

EFFECTIVE PRIMARY NOMINAL CURRENT	200 A
PRIMARY CURRENT, MEASURING RANGE	0 ... ±300 A
EFFECTIVE SECONDARY NOMINAL CURRENT	100 mA
MAX. MEASURABLE OVERLOAD (max. 3 Min/h. @VC=±15 V, RM = 5)	600 A
FREQUENCY RANGE (-3dB)	DC up to 100 kHz
LINEARITY	< 0.1 %
INTEGRATION TIME	< 1 μs
RESPONSE TIME	500 ns
ACCURACY AT + 25 °C	± 0.8 %
SCOPE OF DELIVERY	Sensor
CONFORMITY	CE, UKCA



www.marposs.com

For a full list of address locations, please consult the Marposs official website

ODN6398EN02 - Edition 04/2022 - Specifications are subject to modifications
© Copyright 2010-2022 MARPOSS S.p.A. (Italy) - All rights reserved.

MARPOSS,  and Marposs product names/signs mentioned or shown herein are registered trademarks or trademarks of Marposs in the United States and other countries. The rights, if any, of third parties on trademarks or registered trademarks mentioned in this publication are acknowledged to the respective owners.

Marposs has an integrated system for Company quality, environmental and safety management, with ISO 9001, ISO 14001 and OHSAS 18001 certification.



Download the latest version of this document

