


PLUG
AND PLAY
SOLUTIONS



DUO

THE PREMIUM COMPACT DISPLAY UNIT




MARPOSS

Duo is an extremely compact and powerful, 4.3" touch screen unit for display and storage of measuring data acquired through one or two sensors. Designed to satisfy the needs of our customers, it is the "something in-between" display unit that guarantees premium features at an affordable price being as small as a smartphone.

It's the best choice for simple manual applications allowing up to two measurements to be simultaneously displayed. The Duo is your non-compromise solution when only few measurements on the shop floor are needed at any given time.


MAIN FEATURES

- 4.3" true flat touch screen display
- Intuitive user interface
- Two direct input channels for LVDT / HBT / HBT Tesa sensors
- Dynamic acquisitions [Max, min, Range, Average, (Max-min/2)]
- Analog and digital display
- 2IN/2OUT for cycle management
- 1 input for a footswitch
- Remote data storage and export through removable USB memory device
- Measurement data transmission through Fieldbus (option) or serial port



BENEFITS

- Easy to configure and easy to use
- Cost-effective for simple applications
- Extremely clear visualization of the measurement status
- Designed for portable use (min. 16000 mAh external battery pack recommended for one shift)
- Suitable for the workshop (IP54 front panel)



For a full list of address locations, please consult the Marposs official website

Edition 07/2019 - Specifications are subject to modifications © Copyright 2018 - 2019 MARPOSS S.p.A. (Italy) - All rights reserved.

MARPOSS, logo and Marposs product names/signs mentioned or shown herein are registered trademarks or trademarks of Marposs in the United States and other countries. The rights, if any, of third parties on trademarks or registered trademarks mentioned in the present publication are acknowledged to the respective owners.

Marposs has an integrated system to manage the Company quality, the environment and safety, attested by ISO 9001, ISO 14001 and OHSAS 18001 certifications.

Some models of the product line, or parts of them, may be subject to export restrictions if exported outside the European Union or may be subject to restrictive measures adopted by the competent national, supranational or international authorities.